MAT 265 Exam Two Review Sections: 2.4-2.8, 3.1-3.3, 3.5, 3.7

Correct Answer is highlighted red - 39 questions

Section 2.4

1. Use the following table to answer question 1.

x	f(x)	g(x)	f'(x)	g'(x)
1	4	3	2	1
2	3	4	3	4
3	2	1	4	2
4	1	2	1	3

If
$$H(x) = f(x) \cdot g(x)$$
, what is $H'(2)$?

24

2. Given
$$f(x) = 5 \csc x$$
, find a) $f'(x)$ b) $f''(x)$.

$$f'(x) = -5 \csc x \cot x; \ f''(x) = -5(\csc x - 2 \csc^3 x)$$

3. The equation of motion for a particle is $s(t) = 5\cos t + 6\sin t$, $t \ge 0$, where s is measured in centimeters and t in seconds. Find the velocity function.

$$s'(t) = -5\sin t + 6\cos t$$

4. Find the derivative.
$$f(x) = x^{10}\cos x$$

 $f'(x) = 10x^9\cos x - x^{10}\sin x$

$$\int_{0}^{\infty} \int_{0}^{\infty} \int_{0$$

5. Find
$$f'(x)$$
 if $f(x) = 4x(\sin(x) + \cos(x))$
 $f'(x) = 4(\sin(x) + \cos(x)) + 4x(\cos(x) - \sin(x))$

6. An object with weight P is dragged along a horizontal plane by a force acting along a rope attached to the object. If the rope makes an angle t with the plane, then the magnitude of the force is

$$F = \frac{cP}{c \text{ sint+cost}}$$
, where c is a constant called the coefficient of friction. Let $P = 30$ lb and $c = 0.5$.

When (in radians) is the rate of change of F with respect to t equal to zero?

arctan 0.5

Section 2.5

7. Find the first derivative of $y = \tan^4 x$.

$$y' = 4 \tan^3 x \sec^2 x$$

8. Find the equation of the tangent line for $y = \cos^3(x)$ at x = 0.

$$y = 1.$$

Use the following table to answer question questions # 9 and # 10.

х	f(x)	g(x)	f'(x)	g'(x)
1	2	1	3	2
2	2	2	1	3
3	3	1	3	1

9. If
$$h(x) = f(g(x))$$
, what is $h'(1)$?

6

10. If
$$H(x) = g(f(x))$$
, what is $H'(3)$?

3

11. Find the 28^{th} derivative of $y = \cos(4x)$.

$$y^{(31)} = 3^{28}\cos(3x)$$

12. Find the derivative. $y = (\sec(x))^4 + \cos(x^5)$

$$y' = 4(\sec(x))^4 \tan(x) - 5x^4 \sin(x^5)$$

13. Suppose that $f(x) = \frac{3x}{(2-4x)^4}$. Find the equation of the tangent line of f at x = 1. Round each numerical value to 4 decimal places.

$$y = -1.3125x + 1.5$$

14. If 1000 dollars is invested at an annual interest rate r compounded monthly, the amount in the account at the end of 4 years is given by

$$A = 1000 \left(1 + \frac{1}{12}r \right)^{48}$$

Find the rate of change of the amount A with respect to the rate r when r = 4%

4677.204

Section 2.6

15. Find the slope of the tangent line to the curve $5xy^5 + 3xy = 24$ at (3,1) exactly.

 $-\frac{2}{21}$

16. For the equation given below, evaluate y' at the point (2, 2) to six decimal places.

$$(4x - y)^4 + 4y^3 = 1328.$$
4.235294

17. Find the slope of the tangent line to the curve $5 \sin x + 4 \cos y - 4 \sin x \cos y + x = 7\pi$ at $(7\pi, \frac{3\pi}{2})$.

1

Section 2.7

18. A street light is mounted on a 16 ft tall pole. A 6 ft woman walks away in a straight path from the pole at a speed of 4 ft/sec. How fast is the tip of the woman's shadow changing when she is 50 ft from the base of the pole?

6.4 ft/sec

19. If
$$x^2 + 3xy + y^5 = 39$$
, and $\frac{dx}{dt} = -2$ when $x = 1$ and $y = 2$, what is $\frac{dy}{dt}$ then?

20. The radius of a spherical balloon is increasing at a rate of 2 cm per min. How fast is the volume changing when the radius is 12 cm? Round your answer to six decimal places.

3619.114737

Section 2.8

21. Use a <u>linear approximation</u> to approximate $\sqrt{49.2}$. Write your answer to five decimal places.

7.01429

- 22. Let $y = 4\sqrt{x}$. To five decimal places: Find the change in y, Δy when x = 4 and $\Delta x = 0.2$. 0.19756
- 23. Let $y = 4\sqrt{x}$. To five decimal places: Find the differential dy when x = 4 and dx = 0.2.
- 24. Find linear approximation of the function $f(x) = \frac{1}{x}$ and use it to approximate $\frac{1}{1.04}$.
- 25. The radius of a circular disk is given as 24 cm with a maximal error in measurement of 0.2 cm.
 - a) Use differentials to estimate the maximum error.
 - b) What is the relative error?

Round each numerical value to 7 decimal places, except π . Leave π as π . 9.6 π ; 0.0166667

Section 3.1

26. Find the **exact** limit: $\lim_{x\to\infty} \frac{2\sqrt{11}(8)^x + 15,000}{7(8)^x - 9}$.

$$\frac{2\sqrt{11}}{7}$$

- 27. Find the **exact** limit: $\lim_{x \to -\infty} \frac{9}{5^x 7}$.
- 28. The number, N, of people who have heard a rumor spread by mass media at time, t, is given by $N(t)=a(1-e^{-kt})$.

There are 200000 people in the population who hear the rumor eventually. 5 percent of them heard it on the first day. Find a and k, assuming t is measured in days.

a= 200000;
$$k=-\ln(1-5/100)$$

Section 3.2

29. For the function $f(x) = 3x + 6x^{15}$, find the derivative of the inverse function of f at c = -9. In other words, find $(f^{-1})'(c)$ with c = -9.

93

30. Find the **exact** limit: a) $\lim_{x\to\infty} \left[\ln(5+3x) - \ln(5+2x)\right] b$) $\lim_{x\to 0^+} \left[\ln 5 \sin x\right]$. Round to six decimal places.

 $0.405465; -\infty$

Section 3.3

31. Differentiate the function $f(x) = x^{6x}$.

$$f'(x) = 6x^{6x}(\ln(x) + 1)$$

32. Let $f(x) = -16 \ln(\cos x)$. Find the second derivative of f(x).

$$f''(x) = 16sec^2x$$

33. Let $f(x) = \ln[x^6(x+5)^9(x^3+1)^{10}]$. Find f'(x).

$$f'(x) = \frac{6}{x} + \frac{9}{x+5} + \frac{30x^2}{x^3+1}$$

Section 3.5

34. Find f'(x) where $f(x) = \arcsin^{6}(2x + 4)$.

$$f'(x) = \frac{12\arcsin^5(2x+4)}{\sqrt{1-(2x+4)^2}}$$

35. Let $f(x) = 2x^2 \tan^{-1}(8x^2)$. Find f'(x).

$$f'(x) = 4x \tan^{-1}(8x^2) + \frac{32x^3}{1+64x^4}$$

Section 3.7

36. Use L'Hospital's Rule to evaluate the limit exactly: $\lim_{x\to 0^+} 4\sin(x) \ln(x)$

0

37. Use L'Hospital's Rule to evaluate the limit exactly: $\lim_{x\to 0} \frac{6^x - 8^x}{x}$.

$$\ln\left(\frac{3}{4}\right)$$

- 38. Use L'Hospital's Rule to evaluate the limit exactly: $\lim_{x\to\infty} (1+\frac{8}{x})^{\frac{x}{10}}$ $e^{4/5}$
- 39. Use L'Hospital's Rule to evaluate the limit exactly: $\lim_{x \to \frac{\pi}{2}} (7 \cos(-5x) \sec(-7x))$